Review Article

A Review on Studies and Research on Crystallization

Sunil J. Kulkarni

Datta Meghe College of Engineering, Airoli, Navi Mumbai, Maharashtra, India

Received: 14/10/2015

Revised: 29/10/2015

Accepted: 29/10/2015

ABSTRACT

Crystallization is a chemical solid–liquid separation technique. In this, mass transfer of a solute from the liquid solution to a pure solid crystalline phase occurs. For crystallization, supersaturation and temperature are two important factors. Crystallization finds major application in food and pharmaceutical industry. Silicon crystal wafer production, powder salt for food, production of sucrose from sugar beet is few industrial applications. Many investigators have carried out research on crystal size, growth and structure, factor affecting crystal growth and other important aspects of crystallization. The present paper summarizes research carried out on various aspects of crystallization

Key words: supersaturation, temperature crystal growth, morphology.

INTRODUCTION

The mass transfer operations are divided based on the state of the material. These classes of mass transfer are solid liquid, solid gas, liquid gas, liquid liquid, gas gas and solid solid. The liquid gas applications include gas absorption, humidification. Extraction is example of liquid liquid operation. These two categories most important and find wide are application. Adsorption is solid liquid and solid gas separation. These mass transfer operations find wide application in chemical industries and wastewater treatment. ^[1-5] For recovery and regeneration also these unit operations are important. In waste gas absorption treatment and adsorption methods are widely used. ^[6-8] Crystallization is solid liquid separation based on supersaturation of solution. The solution is supersaturated by evaporation or cooling or combination of both. The pharmaceutical

and food industries find wide application of crystallization. Various investigators have carried out investigation on various aspects of crystallization. The current review summarizes research carried out on crystallization.

RESEARCH AND STUDIES ON CRYSTALLIZATION

Wellen carried out investigation on effect of polystyrene on poly (Ethylene crystallization. [9] Terephthalate) He compounded blends of poly (ethylene terephthalate) (PET) and polystyrene (PS) with PS content ranging from 0% to 60% by weight in a laboratory internal mixer, followed by quenching into iced water. Scanning electron microscopy (SEM) was used for analysis of blend morphology. He observed that SEM micrographs showed a two-phase structure made up with spherical PS particles dispersed in a PET matrix. It

was also found that crystallization of PET was affected by the heating rate and by the addition of even small amounts of PS. Pisponen et.al. investigated morphological parameters of lactose crystals during crystallization at low temperatures, using rapid and extra rapid cooling. ^[10] They carried out studies on three temperatures (2, 6 and 12°C) for crystallization of lactose. They used pure lactose for reference in their studies. They observed that Ricotta whey components reduce crystal size, and linked with low crystallization temperature; modify the shape of crystals faces. Chung and Ryu analyzed the effect of the addition of Li₂O₃, TiO_2 , and Fe_2O_3 on the crystallization behavior of P2O5-CaO-SiO2-K2O glasses and the effect of the crystallization behavior on the roughness and hydrophobicity of the coated surface. ^[11] Their investigations that the intensity of confirmed the diffraction peaks increases at high temperatures and with increasing Li₂O₃ content. It was also observed that the increase in surface roughness, correlated to the crystallization of the glass frit, increases hydrophobicity of the surface. Newman et.al. carried out an investigation in order to sparse-matrix screening combine with systematic screening in a minimum number of crystallization conditions. ^[12] They tried to maximize the coverage of crystallization parameter space with no redundancy. They combined the screening strategy with nanolitre-volume dispensing hardware along with a small but practical experimenttracking system. An investigation was carried out by her and Chen, aimed at studying the crystallization kinetics of ultrathin a-Si induced by Al under thermal annealing and pulsed laser irradiation.^[13] Thev observed that. under thermal annealing, the crystallization temperature and activation energy for crystallization of a-Si with a thin Al metal layer reduced to around 340°C and 3.3 eV, respectively.

McMahon et.al. purified and crystallized Ranasmurfin, a previously uncharacterized _13 kDa blue protein found in the nests of the frog polypedates leucomystax. ^[14] The analysis indicated the presence of a dimer in the asymmetric unit. In the fluorescent scan they observed a peak at 9.676 keV, indicating that the protein binds zinc and suggesting a route for structure solution.

Lawton et.al. carried out an investigation on the continuous crystallization of a model active pharmaceutical ingredient (API)using a continuous oscillatory baffled crystallizer [15] (COBC). According to their investigation, continuous crystallization offered significant advantages in terms of process, operation and costs. It delivered the isolation of the model API in just over 12 min compared to the 9 h and 40 min in a batch process. Rupp et.al. carried out an investigation crystallization on of amorphous ceria solid solutions. ^[16] Their studies were aimed at correlating the selflimited grain growth kinetics in ceria solid solutions with the microstructural evolution during the transformation of the amorphous state to the fully crystallized state. They found that, in the micrographs, grains with a globular shape without any preferred orientation as well as amorphous materials were visible after spray pyrolysis deposition and crystallization by heat treatment. An investigation was carried out on crystallization of biological macromolecules by Smatanova. ^[17] His studies were mainly focused on properties and crystal structures of proteins. He used stereomicroscope for the examination of the crystallization trials. Prasad and Srilalitha carried out research on crystallization process of Fe78Tm2B20 and Fe₇₆Tm₄B₂₀ alloys. ^[18] The SEM patterns indicated that cast samples are amorphous and the samples are completely crystallized when heated to 1000° C. Kaldybayeva studied aluminums cast iron crystallization.

^[19] He studied the composition and structure of high-alloyed aluminum cast iron. He applied High-alloyed materials as the heatresistant materials. According to him in present time, ability of the aluminum cast iron is being not used sufficiently. Heeley et.al. carried out an investigation on morphology and crystallization kinetics of polyethylene/long alkyl-chain substituted polyhedral oligomeric silsesquioxanes (poss) nanocomposite blends. ^[20] They blended POSS molecules with long linear alkyl-chain substituent. To elucidate the effect that POSS and its substituent groups have on the dispersal and crystallization kinetics of the host polymer, they used timeresolved small- and wide-angle x-Ray scattering (SAXS/WAXS) and thermal techniques. They observed that the miscibility and dispersal of the POSS molecules increased with the increasing alkyl-chain length substituent.

CONCLUSION

Crystallization is affected by heating and cooling rates. Also very small amount of impurity can bring about change in the crystallization. Also increase in surface roughness increases hydrophobicity. The analysis can be carried out by scanning electron microscopy and energy dispersed X ray. It was also observed that temperature and addition of impurities are important factors in crystallization.

REFERENCES

- Dinesh Mohan, Kunwar P. Singh, Vinod K. Singh, Wastewater treatment using low cost activated carbons derived from agricultural byproducts-A case study, Journal of Hazardous Materials,2008, 152(3), 2045-1053.
- 2. Kulkarni, Sunil J., and Dr Jayant P. Kaware. Removal of Cadmium from Wastewater by Groundnut Shell Adsorbent-Batch and Column Studies,

International Journal of Chemical Engineering Research,2014, 6.1, 27-37.

- Kulkarni Sunil1, Kaware Jayant, Adsorption for Phenol Removal-A Review, International Journal of Scientific Engineering and Research (IJSER), 2013,1(2), 88-96.
- 4. A. K. Goswami, S. J. Kulkarni, S. K. Dharmadhikari, Adsorption of Copper (II) ions from Synthetic Waste Water By Teak Leaves, International Journal of Scientific Research in Science, Engineering and Technology (ijsrset.com), 2013, 2(6),1356-1359.
- Sunil J. Kulkarni, Modeling for Adsorption Columns for Wastewater Treatment: a Review, International Journal of Innovative Research in Engineering & Multidisciplinary Physical Sciences, 2014, 2(2), 7-11.
- Sunil Jayant Kulkarni, Ajaygiri Kamalgiri Goswami, Adsorption For Waste Gas Treatment: A Short Review, International Journal For Research In Applied Science & Engineering Technology (Ijraset), Vol. 2,No.12,pp.513-514, December 2014.
- 7. Sunil J. Kulkarni, Nilesh L. Shinde, A Review On Hydrogen Sulphide Removal From Waste Gases, International Journal Of Advanced Research In Science, Engineering And Technology, 2014, 1(4), 187-189.
- Sena Yasyerli, Irfan Ar, Guls En Dogua, Timur Dogu,Removal Of Hydrogen Sulfide By Clinoptilolite In A Fixed Bed Adsorber, Chemical Engineering And Processing, 2002,41, 785-792.
- 9. Renate Maria Ramos Wellen, Effect of Polystyrene on Poly (Ethylene Terephthalate) Crystallization, Materials Research, 2014,17(6), 1620-1627.
- A. Pisponen, S. Pajumagi, H. Mootse, A. Sats, V. Poikalainen and A. Karus, Effect of cooling rates and low crystallization temperatures on morphology of lactose crystals obtained from Ricotta cheese whey, Agronomy Research, 2014, 12(3), 787–792.

- 11. Jaeyeop Chung and Bongki Ryu, Crystallization Behavior of Phosphate Glasses with Hydrophobic Coating Materials, Journal of Nanomaterials, 2015,1-11.
- 12. Janet Newman, David Egan, Thomas S. Walter, Meged, Ian Ran Berry, Marouane Ben Jelloul, Joel L. Sussman, David I. Stuart and Anastassis Perrakis. Towards rationalization of crystallization screening for small- to medium-sized academic laboratories: PACT/JCSG+ strategy, the Acta Cryst., 2005, D61, 1426–1431.
- 13. Yung-Chiun Her and Chih-Wei Chen, Crystallization kinetics of ultrathin amorphous Si film induced by Al metal layer under thermal annealing and pulsed laser irradiation, Journal Of Applied Physics,2007, 101, 1-4.
- 14. Stephen A. McMahon, Martin A.Walsh, Rosalind Tan Yan Ching, Lester G. Carter, Mark Dorward, Kenneth A. Johnson, Huanting Liu, Muse Oke, Carlos Bloch Jr, Malcolm W.Kennedy, Aishah A. Latiff, Alan Cooper, L. Taylor, Malcolm F. White and James Naismith, Crystallization of Ranasmurfin, a blue-coloured protein from Polypedates leucomystax, Acta Cryst.,2006, F62, 1124–1126.
- 15. Simon Lawton, Gerry Steele, and Phil Shering, Continuous Crystallization of

Pharmaceuticals Using a Continuous Oscillatory Baffled Crystallizer, Organic Process Research & Development, 2009, 13, 1357–1363.

- Jennifer L.M. Rupp, C. Solenthaler, P. Gasser, U.P. Muecke, Ludwig J. Gauckler, Crystallization of amorphous ceria solid solutions, Acta Materialia, 2007, 55,3505–3512.
- Ivana Kuta Smatanova, Crystallization Of Biological Macromolecules, Materials Structure, 2002, 9(1), 14-15.
- B. Bhanu Prasad and M.D.V. Srilalitha, Study of Crystallization Process of Fe78Tm2B20 and Fe76Tm4B20 Alloys, Int. Journal of Engineering Research and Applications, 2015, 5(5), 82-86.
- Saule Kaldybayeva, Research of Crystallization of Aluminums Cast Iron, Journal of Minerals & Materials Characterization & Engineering, 2011, 10(13), 1197-1203.
- 20. Heeley, Ellen L.; Hughes, Darren J.; El Aziz, Youssef; Taylor, Peter G. and Bassindale, Alan R, Morphology and crystallization kinetics of polyethylene/long alkyl-chain substituted Polyhedral Oligomeric Silsesquioxanes (POSS) nanocomposite blends: a SAXS/WAXS study. European Polymer Journal, 51, 45–56.

How to cite this article: Kulkarni SJ. A review on studies and research on crystallization. Int J Res Rev. 2015; 2(10):615-618.
