E-ISSN: 2349-9788; P-ISSN: 2454-2237

Original Research Article

To Assess Effect of Nidan Parivarjan in the Management of Padadari Vyadhi with Application Sarjaras Malahar

Vedashri A. Kalawade¹, Priyanka S. Hanmane²

¹MD Rog Nidan, ²MD Kayachikitsa, Lecturer in Dr. J.J.Magdum Ayurved Medical College, Jaysingpur. Tal:- Shirol, Dist:- Kolhapur.

Corresponding Author: Priyanka S. Hanmane

ABSTRACT

There is a lot of difference between today's life style and ancient life style, hence the applications of ayurvedic principles must be modified and according to new diseases new principles should be searched. For that purpose we have to do research. In persons who are in the habit of too much walking on rough ground without footwear, vata gets increased producing fissures in the sole of feet, this is called Padadari. Padadari denotes uncleanliness of sole. Disease 'Padadari' makes the sole rough & hampers beauty & smoothness of foot. So if we know the etiological factors of Padadari we can avoid the disease by easy measures. Diseases of the skin have greater importance. As the world is developing, problems of pollution, improper diet pattern and lifestyle, various allergies etc. are also increasing rapidly. By avoiding specific causes, people can keep their skin healthy or it will help them to cure their skin. Sarjaras malahar is indicated for Agnidagdha Vrana Daha, Vrana, Dushta vrana Gudapaka, Arsha in samhitas.

Keyword:- Padadari, nidanparivarjan, Sarjaras malahar.

INTRODUCTION

Ayurveda being a science of life has a on the fundamental Principles of various aspects (which involves various aspects) of life. Though ayurvedic principles are unchallenged; still these principles are not fully explored. There is a lot of difference between today's life style and ancient life style, hence the applications of ayurvedic principles must be modified and according to new diseases new principles should be searched. Ancient principles should be again and again testified, because pure metal regains shining by its polishing. For that purpose we have to do research. In persons who are in the habit of too much walking on rough ground without footwear, vata gets increased producing fissures in the sole of feet, this is called Padadari. (In English = Rhagades, Rhogas, Superficial and deep fissures of sole, crack heel.) Maharshi Sushruta & Madhavnidan explained group 'Kshudraroga'. of diseases known as padadari is included in that group only. This shows that Kshudra means very small but very severe in pain. This description is very much fit to Padadari. If we do not avoid etiological factors of 'Padadari' it is very much painful.

To maintain the health of people ayurveda has explained dinacharya and ritucharya. Different rules and regulations according to ritu, desh, prakruti, age, kal (day & time), bhumi are given in ayurveda.

To prevent disease by before mentioned rules is the concept of dinacharya and ritucharya. Etiological factors of 'Padadari' are negligence in following rules of dinacharya only. Padadari denotes uncleanliness of sole .Disease 'Padadari' makes the sole rough & hampers beauty & smoothness of foot. So if we know the etiological factors of Padadari we can avoid the disease by easy measures.

the world is As developing, problems of pollution, improper diet pattern and lifestyle, various allergies etc... are also increasing rapidly. That gives rise to increase in occurrence of various skin diseases. Specifically skin diseases do not have firm and total cure in modern medicines, they tends to recur. These kinds of pits & falls of modern medicine where ayurveda can come strong and give total cure to the patient. By avoiding specific causes, people can keep their skin healthy or it will help them to cure their skin. Now a day's recurrence of skin disease is much common thing. By finding specific hetu in patient and by advising hetu parivarjan with treatment, one can conquer on the recurrence & chronicity of these skin diseases, and by means they can cure patient totally, not partially. Why specific, because now a day's all the hetus mentioned in the text cannot be avoided, so if we give specific pathya-apathya according today's lifestyle to patients, that will be easier to act on. Thus patients will not be afraid of pathya and the probability of conducting pathya will be increased, thus the results of treatment will be better.

Aim and Objectives-

- 1.To assess effect of *nidan parivarjan* in the management of *padadari* with the application of sarjaras malahar thorough examination with sample of two groups of patients.
- 2. Analysis of effect of hetu consumption & importance of Nidan Parivarjan.

MATERIALS AND METHODS

All patients were selected in Rugnalaya. Patients with symptoms of twack –

rukshata. Daran (fissures / cracks), Pain, Bleeding the cracks (sometimes)

Selection Criteria:

- 1. Patients of both Sexes,
- 2. Patients doing sedentary work field work, housewives, Farmers,
- 3. Patients consuming hetus of Padadari between age group 10-50 yrs.

Exclusion criteria:-

1. Patients below 10 yrs. & above 50 yrs.

2} Selection of drug-

[Sarjaras Malahar]

Ingredients:-

- 1. Tila taila (seasome oil) -16
- 2. Sarjaras (Gummy excaudate of plant, shorea robusta) = 4 parts
- 3.Tutha (Ashuddha) = 1 part
- 4. Sphatika (Ashuddha) = 1 part

Method of Preparation:-

Boil the sesame oil. When froth starts appearing add the fine powder of 2-4 ingredients and mix well. This mixture must be collected in a vessel and washed with water 15-20 times each time after adding water it must be rubbed well. Washing must be continued till the rubbed well washing must be continued till the added water became colorless.

Parameters for study:-

Two groups of patients having 50 patients in each group will be made.

Group A: - Patients in this group will be informed about avoiding nidan and along with that Sarjaras Malhar application i.e. group following pathya.

Group B: -

Patients are not told about avoiding *nidan* & only sarjaras malhar is given i.g. group not following *pathya*.

For the examination of padadari I have made 8 quadrants of sole.

- 1. Vertical / longitudinal curve
- 2. Horizontal curve
- 3. Base of little finger
- 4. Starting of hill

I counted no. of cracks in each quadrant in follow up.

(A) Depth of cracks of sole measured with capillaries and no of cracks of sole / sq.cm measured actually in quadrants.

Mild- superficial cracks

Moderate- Depth > 2 mm orNo of cracks <6/ cm² or both

Sever – No of cracks > 6/cm² or Depth>3mm or both, bleeding crack.

(B) Pain & tenderness at rest/ motion.

No pain— (0) No Pain & tenderness on touch and while walking.

Mild- (1) Mild pain on touch

Moderate - (2) Pain at touch & pain while walking.

Severe - (3) Patient will not allow touching and cannot walk

Four follow up each patient are made and according to grading to cracks and pain and tenderness of each patient analysis is made. From that analysis no of cured and uncured patients is calculated. To this number CHI^2 or χ^2 test at 5% or P- 0.05 level of significance is applied.

From the information of questionnaire consumption of hetus is analysed. Degree of consumption of hetus is decided and from that nidan of padadari

in each patient is concluded with the help of graphical presentation hetus of padadari are described.

Nidan Parivarja:-


Parivarjan is the important part of *Chikitsa*, Though only nidan parivarjan is not a complete *chikitsa* or treatment" but treatment with nidan parivarjan can be a complete cure or apunarbhav chikitsa.

Avoided causes of Cracked Heels:

- Dry skin.
- Prolonged standing.
- Obesity.
- Wearing shoes with an open back.
- Heel Spurs.
- Flat feet.
- Improperly fitting shoes.
- Excessive walking.
- Contact with soil a) bare foot walking b) not cleaning foot c) not using proper who shoes.
- Fasting.
- Vataprakopak aahar and vihar.

OBSERVATION & RESULTS AND STATISTICAL ANALYSIS

Group	Cured	Uncured	CH ² values at 0.05 level of significance & DF-1	CH ² values Table	IN	Inferrence
A	37	13	6,6	× -		Highly
В	12	38	20.17	3.84		Significant



DISCUSSION

Group A. i.e. nidan parivarjan group is higher cure rate than that in group B. In both groups same drug i.e. sarjaras malahar is used. Difference in both the group is nidan parivarjan in group A. From the results of both the groups we can say that

due nidan parivarjan results of both the group differ. As the sarjaras malahar is the same used in both groups .Though it cures the cracks & relievs the pain but for the complete cure or fast cure of patients samprapti bhang is necessary. Hence nidan parivarjan has a major role in padadari samprapti vighatan. By understanding the effect of role of nidan parivarjan in samprapti vighatn we can also understand the role of effect of nidan (i.e. hetu) in samprapti. The extra results oblained in nidan parivarjan group patients confirms the role of nidan in formation of disease.

CONCLUSION

As the treatment is same for both groups, difference is the only that of nidan parivarjan. So, when nidan parivarjan is

done, samprapti gets discontinued. This helps the treatment and gives faster results. If we give only treatment as in Gr.B hetus consumption of patients is continued so disease process is also continued.

REFERENCES

- Vedon main Ayurved: Dr. Kapil Dev Dwivedi, Vishwa Bharati Anusandhan Parishd, Varanasi, 1993.
- Charak Samhita with Chakrapani Teeka: Vaidya Yadav Sharma, Rashtriya Sanskrit Sansthan, Delhi, 2006.
- Sushrut Samhita: Ambika datta Shashtri, 12th edition, Choukhambha Sanskrut Pratishthan, Varanasi, 2001.
- Astang Hridayam: Dr. Bramhanand Tripathi, Choukhambha Sanskrut Pratishthan, Varanasi, 2003.
- Astang Sangrah: Lal Chandra Shastri, 1st edition, Shri Baidyanath Ayurved Bhavan Limited, Nagpur, 1959.
- Chakradatta: Indradeva Tripathi, 4th edition, choukhambha Sanskrit Pratisthan, Varanasi, 2002.
- Madhav Nidanam: Vaidya Sudarshan Shastri, 28th edition, choukhambha Sanskrit Pratisthan, Varanasi, 1999.
- Bhavaprakash Nighantu:Dr. K. C. Chunekar, Choukhambha Bharati Academy, Varanasi, 2002.

- Sharangdhar Samhita: K. R. Shrikant Murthy, 3rd edition, Choukhambha Orientalis, Varanasi, 1997.
- Rasa ratna samucchaya by vagbhatacharya: Indra dev tripathi, 1st edition, Choukhamba Sanskrit bhavan varanasi, 1998.
- Siddhant Nidanam: Gananath Sen, 5th edition, Choukhambha Sanskrit Series, Varanasi, 1966.
- Rogi Rog Pariksha Padhati: Dr. G. P. Upadhyay, Choukhambha Sanskrit Series, Varanasi, 1997.
- Differential Diagnosis: Dr. G. P. Upadhyay, Arpit Prakashan, Nagpur, 2002.
- Kaya Chikitsa: Dr. Ram Harsha Singh, Choukhambha Sanskrit Pratishthan, Varanasi, 2004.
- Nidan Chikitsa Hastamalak: Dr. Ranjeet Rai Desai, 2nd edition, Shri Baidyanath Ayurved Bhavan Limited, Nagpur, 1990.
- Harrison's Principles of Internal Medicine: 15th edition, Mc Grew Hill Company, Columbus, 2001.
- Davidson's Principles and Practice of Medicine: 18th edition, Harcourt Publishers Limited, U. K., 1999.
- Methods in Biostatistics: B. K.
 Mahajan, 16th edition, Jaypee Brothers Medical Publishers (P) Limited, Noida, 2004.

How to cite this article: Kalawade VA, Hanmane PS. To assess effect of nidan parivarjan in the management of padadari vyadhi with application Sarjaras Malahar. International Journal of Research and Review. 2017; 4(2):1-4.
